Part 3: Sheep import requirements

Biosecurity and Agriculture Management Act 2007 (BAM Act) and Regulations 2013

The sheep import requirements for Western Australia are included below. See the explanatory notes and definitions following this section for further details where necessary.

a) Cattle tick

- (i) **Sheep moving from a cattle tick-free area** into WA do not require inspection or treatment for cattle tick prior to movement into WA.
- (ii) Sheep moving from a cattle tick-infested area into the cattle tick-free area of WA must be inspected and certified free of cattle tick and have a supervised treatment for cattle tick immediately prior to movement into WA.
- (iii) **Sheep moving from a cattle tick-infested area into the cattle tick-infested area of WA** do not require inspection or treatment for cattle tick prior to movement into WA.
- (iv) **Sheep moving into WA from an area under movement restrictions for chemical-resistant cattle tick** must be inspected and certified free of cattle tick and have a supervised treatment immediately prior to movement into WA.

b) Footrot

Footrot import conditions

i) Sheep moving into WA

- must not have been foot-bathed or treated with antibiotics within three months prior to movement into WA
- must not have been vaccinated for footrot within 12 months prior to movement into WA
- must have been born or resided on the property of consignment for more than 12 months prior to
 movement into WA, except for temporary removal to an agricultural show where precautions against the
 spread of footrot were taken
- must not have had any contact with sheep or goats affected with footrot within 12 months prior to movement into WA
- must have had all feet individually inspected by a registered veterinarian or an authorised inspector within 14 days prior to movement into WA and have shown no evidence of virulent footrot
- must not have been on a property where sheep or goats have been infected with virulent footrot during
 the two years prior to the date of movement into WA. Where any animals have shown signs of
 interdigital dermatitis or any form of footrot during this two-year period, the state or territory government
 authority has tested samples taken from those lesions and reported that *Dichelobacter nodosus* isolates
 obtained from culture of those samples were classified as 'unstable' by the protease thermostability
 (gelatin gel) test or the sample tested negative for virulent footrot by polymerase chain reaction (PCR)
 testing.

Footrot import condition exemptions

ii) Slaughter or export

Sheep are exempt from the conditions in *Part 3(b)(i)* if moved directly to a DPIRD-approved holding yard or an abattoir lairage for export or slaughter within 40 days of movement into WA.

iii) Short stays (sheep leave WA and return to WA)

Sheep that leave and return to WA within 49 days are eligible for re-entry into WA in relation to footrot if the requirements of an *LB7 form* are met.

c) Johne's disease (JD)

The sheep moved into WA must be accompanied by **Parts 1 and 2** of the Health Certificate for Movement of Sheep into Western Australia signed by each of the below:

- the exporting owner/manager
- a registered veterinarian or authorised government inspector
- the importing owner or manager.

i) Property requirements

The property(ies) on which sheep to be moved into WA were born and all properties on which they resided before 12 months of age:

- The property(ies) must have had no suspected or confirmed JD infection in livestock during the five years prior to movement of the sheep off the property(ies).
- The property(ies) must have introduced sheep only from properties that have had no suspected or confirmed JD infection in livestock during the preceding five years
- The sheep to be moved into WA must not have had contact with livestock suspected or known to be infected with JD.

The property(ies) on which sheep to be moved into WA resided after they were 12 months of age:

- The property(ies) must have had no suspected or confirmed JD infection in livestock during the five years prior to movement of the sheep off the property(ies).
- The sheep to be moved into WA must not have had contact with livestock suspected or known to be infected with JD.

Sheep to be moved into WA may transit non-farming properties such as transit depots, saleyards or showgrounds but must have had no contact while on these properties with livestock suspected or known to be infected with JD. Contact is defined as being held in yards in the same or adjacent pen.

Johne's disease import condition exemptions

ii) Short stays (sheep leave WA and return to WA)

• Sheep that leave WA and return to WA within 49 days are eligible for re-entry into WA in relation to JD if the requirements of an *LB7 form* are met.

d) Liver fluke

Liver fluke import conditions

(i) Sheep must be individually tested by the DPIRD-approved test for liver fluke with negative results within 14 days prior to movement into WA. Faecal samples for the liver fluke test must be taken by a registered veterinarian or authorised inspector. In consignments of more than 30 animals from the same property, 30 randomly selected animals need to be individually tested prior to entry into WA.

If one animal in the consignment returns a positive test, the entire consignment from the property must be treated and re-tested negative at least 14 days after treatment. A declaration of the treatment and test date must be provided.

The consignment will be treated for liver fluke at the Entry Inspection Point. Post-entry treatment for liver fluke is required at 21 to 35 days post-entry into WA and post-testing is required at 90 to 100 days post-entry into WA. No post-entry testing is required if the destination is in the Pastoral Area.

Liver fluke import condition exemptions

Moving into the Pastoral Area of WA

(ii) Sheep being moved to the Pastoral Area in WA in lieu of the timetable in condition *Part 3 (d)(i)* must be treated for liver fluke under the supervision of a registered veterinarian or authorised government inspector between 21 and 35 days prior to movement to WA and tested for liver fluke at the time of preentry treatment.

From the time of the treatment for liver fluke until moved to WA, the sheep must be held on an area considered by a registered veterinarian or authorised government inspector to be an unsuitable habitat for the liver fluke intermediate host snail, and have access only to feed from this or other such area or to pelleted feed. The sheep must be treated for liver fluke (second treatment) within 48 hours prior to embarkation for WA or at the Entry Inspection Point. The two treatments should be at least 21 days apart.

Slaughter or export

- (iii) Sheep from any area are exempt from all testing and treatment for liver fluke if they are moved directly from the Entry Inspection Point to an abattoir lairage outside the Liver Fluke Restricted Area for slaughter within 48 hours. The importing owner or manager must ensure the faeces from sheep at the destination is collected and composted/treated to an approved standard.
- (iv) Sheep from any area are exempt from all testing and treatment for liver fluke if they are moved directly from the Entry Inspection Point to a port outside the Liver Fluke Restricted Area for loading for export within 48 hours. The importing owner or manager must ensure the faeces from sheep at the destination is collected and composted/treated to an approved standard.

Consignment from the Liver Fluke Test Exempt Area

(v) Sheep born and grazed solely in the Liver Fluke Test Exempt Area are exempt from all testing and treatment if they are moved directly from the Entry Inspection Point to DPIRD-approved holding yards or an abattoir *either* outside the Liver Fluke Restricted Area for export or slaughter within 40 days *or* inside the Liver Fluke Restricted Area for export or slaughter within 48 hours. The importing owner or manager must ensure the faeces is collected and composted/treated to an approved standard. *An LB5 Form is required.*

Health Certificate for Movement of Sheep into Western Australia - Part 3

- (vi) Sheep born and grazed solely in the Liver Fluke Test Exempt Area being consigned to the Kimberley Region of WA are exempt from all pre-entry, entry and post-entry testing and treatment. *An LB5 Form is required.*
- (vii) Sheep born and grazed solely in the Liver Fluke Test Exempt Area consigned to areas other than the Kimberley are exempt from pre-entry testing and post-entry testing and treatment but require treatment at the Entry Inspection Point. *An LB5 Form is required.*

Short stays (sheep leave WA and return to WA)

- (viii) Sheep of WA origin that have departed WA for a period of 10 days or less are exempt from all preentry testing and entry treatment for liver fluke. Post-entry testing and treatment may be required, depending on the WA destination, as shown in *Table 2* (see page 8). *An LB10 Form is required.*
- (ix) Sheep of WA origin that have departed WA for a period of 11 to 49 days are exempt from pre-entry testing but treatment is required at the Entry Inspection Point. Post-entry testing and treatment may be required, depending on the WA destination, as shown in *Table 2* (see page 8). *An LB6 Form is required.*

Explanatory notes

Property of consignment

Property of consignment is defined as the property on which the stock last resided and does not include congregation points such as transit depots, feedlots, saleyards or showgrounds. Residency, other than transitory, at these congregation points will result in ineligibility to meet the WA import conditions.

Import permit applications

Where the sheep do not meet all applicable conditions of entry into WA in **Part 3**, an Import Permit application may be submitted to DPIRD. Applications for these permits are available at https://www.agric.wa.gov.au/invasive-species/invasive-species-permits-applications-and-fees.

Prior notification of movement

Land or sea travel: the transporter (for example, the owner, another person, or transport company) must notify the inspector at the Entry Inspection Point (see **Table 1** below) at least three working days before the estimated time of arrival.

Air travel: the airline company/person consigning the animals must notify the inspector immediately upon confirmation of the contract to transport the animals, and within three working days prior to arrival at an airport. Information about any unloading of the stock en route to WA is to be given to the inspector at the Entry Inspection Point.

Table 1 Entry Inspection Points contacts for Quarantine Western Australia (QWA)							
Point of entry	Perth (air) or Fremantle (sea)	Kalgoorlie	Kununurra				
Phone	+61 (0)8 9334 1800	+61 (0)8 9093 4819 or +61 (0)417 957 234	+61 (0)8 9166 4000 or +61 (0)477 757 185				
Post	Livestock Perth Locked Bag 69 Welshpool Delivery Centre WA 6986	Livestock Kalgoorlie PO Box 417 Kalgoorlie 6430	Livestock Kununurra PO Box 19 Kununurra WA 6743				
Email	LivestockPerth@ dpird.wa.gov.au	LivestockKalgoorlie@ dpird.wa.gov.au	LivestockKununurra@ dpird.wa.gov.au				

Certification

The Health Certificate for Movement of Sheep into Western Australia form is to accompany the stock, and a copy is to be forwarded by email to the appropriate Entry Inspection Point in **Table 1**.

Pre-border inspection

The sheep must be inspected by a registered veterinarian or authorised government inspector not more than 14 days prior to commencement of direct movement to WA and during that period must be isolated from stock of lesser health status. The sheep must meet the requirements detailed in this form: *Health Certificate for Movement of Sheep into Western Australia*.

Border inspection

Sheep will be inspected at the relevant Entry Inspection Point in WA. Sheep that do not meet all import conditions, or do not have an import permit, will not be eligible for entry into WA. Sheep with wool longer than 20 millimetres, or carrying non-permitted plant material, may be ordered to be clipped and/or cleaned (at the owner's expense), forwarded-on for slaughter or moved out of WA.

Health Certificate for Movement of Sheep into Western Australia - Part 3

Identification

Sheep shall not be moved into WA unless they are each identified by means of an NLIS device in accordance with the Biosecurity and Agriculture Management (Identification and Movement of Stock and Apiaries) Regulations 2013.

Movement recording

Sheep must be transferred on the NLIS database to the destination property identification code (PIC) in accordance with the Biosecurity and Agriculture Management (Identification and Movement of Stock and Apiaries) Regulations 2013. This is the responsibility of the importing owner.

Transit depots outside WA

The inspector at the Entry Inspection Point must be notified if sheep are held in a transit depot for more than 10 days due to any reason. Holding of sheep at transit depots for longer than 10 days may result in import measures applied via an *LB14 Direction to Move Stock for Treatment and Testing*.

Fees

An inspection fee will be charged for each consignment of sheep arriving in WA. Payment of the costs of any required inspections, tests or treatments, including applying an NLIS device if missing (either at the Entry Inspection Point or post-entry on the property of destination), fodder and yarding of the stock (at the Entry Inspection Point) and release from *LB14 Direction to Move Stock for Treatment and Testing* is the responsibility of the owner or the owner's agent as the case may be.

Post-entry requirements

Sheep imported into WA are issued with a direction notice called the *LB14 Direction to Move Stock for Treatment and Testing* at the Entry Inspection Point. This direction notice details the post-entry treatments, testing or inspections that are required. Sheep owners/managers may be ineligible to import livestock in the future while there is outstanding non-compliance with post-entry requirements

Health Certificate for Movement of Sheep into Western Australia - Part 3

Definitions

Cattle Tick Infected Area: The Kimberley Region excluding Balgo (Ngulubi), Billiluna, Lake Gregory and Wallal stations.

Cattle tick treatment: A treatment approved by the Australian Pesticides and Veterinary Medicines Authority (APVMA) and/or treatment applied in accordance with the State/Territory government veterinary chemical usage legislative requirements.

Faecal Sedimentation Test (DPIRD method) **or Faecal Floatation-Sedimentation Test** (Department of Agriculture, Fisheries and Forestry, Queensland method): One of these methods must be used for the detection of liver fluke eggs in faecal samples and must be carried out by an approved laboratory on individual animal samples of at least 4 grams of faeces (sheep, goats, alpacas) and 10g of faeces (horses, cattle, large camelids) to determine the presence of or freedom from liver fluke eggs.

Kimberley Region: The local government districts of Broome, Halls Creek, West Kimberley and Wyndham-East Kimberley.

Liver Fluke Restricted Area: The cities, shires and localities of Albany, Armadale, Augusta-Margaret River, Bridgetown-Greenbushes, Bunbury, Busselton, Capel, Chittering, Collie, Dandaragan, Dardanup, Denmark, Donnybrook-Balingup, Esperance, Gingin, Harvey, Jerramungup, Kalamunda, Kwinana, Mandurah, Manjimup, Mundaring, Murray, Nannup, Northam, Perth Metropolitan Area, Ravensthorpe, Rockingham, Serpentine-Jarrahdale, Swan, Toodyay, Wanneroo, Waroona.

Liver Fluke Test Exempt Area – Northern Territory and Queensland: north and west of the line of the road which runs from Hungerford to Thargomindah to Quilpie to Adavale to Blackall to Jericho to Alpha to Clermont to Mount Douglas on the Gregory Development Road, to Bowen via Collinsville on the Bowen Development Road and **South Australia** north of Highway 32 from New South Wales border to Peterborough, Highway 83 from Peterborough to Carrieton, and north of the boundaries of the Counties of Dalhousie and Frome from Carrieton to Port Augusta and those areas of Eyre Peninsula north of County Flinders.

Liver fluke treatment:

- APVMA permit number 13882 liver fluke treatment dose rates and withholding periods override label conditions.
- Dose rates for WA under APVMA permit number 13882 are triclabendazole:
 - o 15 milligrams per kilogram (ruminants and camelids) and
 - 12mg per kg (equines).
- After a single liver fluke treatment: Do not slaughter less than 28 days after treatment.
- After multiple treatments: Do not slaughter less than 42 days after last treatment.
- **Milk:** Where an animal gives birth within 35 days after treatment or an animal is lactating at the time of treatment, milk for human consumption must not be collected from that animal until 35 days after the last treatment.
- Lambs: Do not slaughter lambs fed milk from treated animal/s less than 28 days after last exposure.
- **Export slaughter interval:** Not less than six months from final treatment.

Pastoral Area: The local government districts of Ashburton, Carnarvon, Coolgardie, Cue, Dundas, East Pilbara, Exmouth, Laverton, Leonora, Kalgoorlie-Boulder, Meekatharra, Menzies, Mount Magnet, Murchison, Ngaanyatjarraku, Port Hedland, Karratha, Sandstone, Shark Bay, Upper Gascoyne, Wiluna and Yalgoo.

Scenario	Origin	Destination	Pre-entry and entry	Forms	Post-entry
Sheep moved into WA under the LF import conditions	Interstate	WA	 No exemption from LF import conditions Testing with negative results within 14 days prior to movement into WA Entry treatment required 	LB1	Treatment and testing (no test if Pastoral destination)
Sheep moving into the pastoral area of WA	Interstate	Pastoral region of WA	 Treated and tested 21–35 days before movement Held on area unsuitable for snail and fed from an area like this or pelleted feed Treated within 48 hours prior to embarkation to WA or at Entry Inspection Point at least 21 days after the first treatment 	LB1	None
Export slaughter or export < 48 hours of arrival at WA destination property	Interstate	Direct to abattoir lairage or port outside the LF restricted area of WA		LB1	Faeces collected and composted/treated to approved standard
	Interstate – LF test exempt area	Direct to abattoir lairage or port in LF restricted area of WA	Exemption from testing and treatment	LB1 and LB5	Faeces collected and composted/ treated to approved standard
Export or slaughter < 40 days of arrival at WA destination property	Interstate – LF test exempt area	Direct to a DPIRD approved holding yards, or an abattoir outside the restricted area of WA	Exemption from testing and treatment	LB1 and LB5	Faeces collected and composted/ treated to approved standard
Originating from LF test exempt area	Interstate –	WA except for the	Exemption from testing	LB1	None
	LF test	Kimberley	Entry treatment required	and LB5	
	exempt area	Kimberley Region of WA	Exemption from testing and treatment		
WA origin: Absent from WA for < 10 days	Interstate – LF test exempt area	WA	Exemption from testing and treatment	LB1 and LB10	None
	Interstate – LF test area			LB1	Treatment and testing
WA origin: Absent from WA for 11–49 days	Interstate – LF test exempt area	WA	 Exemption from testing Entry treatment required (unless going to Kimberley) 	LB1 and LB6	None
-	Interstate – LF test area		Exemption from testing Entry treatment required	LB1	Treatment and testing